

The Town of  
**Coyle**  
116 West Main Street  
P.O. Box 248  
Coyle, OK 73027  
P (405) 466-3741  
F (405) 466-2644  
townofcoyle.myruralwater.com

---

**BOARD OF TRUSTEES MEETING  
COYLE PUBLIC WORKS AUTHORITY  
Regular Session Minutes  
116 West Main St  
Coyle, OK 73027  
Tuesday, September 9, 2025**

The regular meeting of the Board of Trustees for the Coyle Public Works Authority was posted on Monday, September 8, 2025, before 7:00 pm and held on Tuesday, September 9, 2025, in Town Hall located at 116 W Main St, Coyle, OK 73027.

Meeting was called to order at 8:20 pm by Carl Long

**Members Present:** Mayor – Carl Long  
Trustee – JoAnn Hale  
Trustee – Colton Moorman

**Staff:** Linde Vogan – Town Clerk  
BJ Anderson – Maintenance  
Dylan Rader – Fire Chief

**Guests Present:** Randy Hickman  
Teresa King  
Tiffany King  
Tim Ming

**Welcome Guests:**

**Consent Agenda:** Motion made by JoAnn Hale to approve the consent agenda  
Seconded – Colton Moorman  
Motion carried – Carl Long, Aye, JoAnn Hale, Aye, Colton Moorman, Aye

**Water Tower Inspection:** Motion made by Colton Moorman to take business agenda item A-Discussion and Possible Action on Water Tower Inspection and Repairs off of the agenda  
Seconded – JoAnn Hale  
Motion carried – Carl Long, Aye, JoAnn Hale, Aye, Colton Moorman, Aye

**Fiscal Sustainability Plan:** Been working on this, provided copies of what has been done so far, will continue working on this.

The Town of  
**Coyle**

116 West Main Street

P.O. Box 248

Coyle, OK 73027

P (405) 466-3741

F (405) 466-2644

[townofcoyle.myruralwater.com](http://townofcoyle.myruralwater.com)

---

**OMAG Sewer Expo:** Motion made by Colton Moorman to send BJ to sewer expo in Enid October 28<sup>th</sup> and 29<sup>th</sup> and pay for his hotel and possible meals if necessary  
Seconded – JoAnn Hale  
Motion carried – Carl Long, Aye, JoAnn Hale, Aye, Colton Moorman, Aye

**ACOG Grant Update:** Grant is closed out, just waiting on final payment, fire hydrants grant needs to go through CPWA

**Water Report:** There was a blueprint for the new building at the school where they are wanting to move the water line, the contractor had a few questions – does the contractor need to do the tap, can they cut the road or do they need to bore it

Motion was made by JoAnn Hale to approve request for a 2-inch meter, to move the meter and have them bore it, do not cut the road

Seconded – Colton Moorman

Motion carried – Carl Long, Aye, JoAnn Hale, Aye, Colton Moorman, Aye

Did lead and copper samples and bac-t samples as well, had to change out a meter because the numbers were moving with nothing on the dial moving

**Wastewater Report:** Generator is completed, its set on BJs phone and every Monday 9 am it does a test

**Root Control Grant:** Motion made by JoAnn Hale to apply for the OMAG Root Control Grant  
Seconded – Colton Moorman  
Motion carried – Carl Long, Aye, JoAnn Hale, Aye, Colton Moorman, Aye

**New Business:** None

**Adjourned:** Motion made by JoAnn Hale to adjourn  
Seconded – Colton Moorman  
Motion carried – Carl Long, Aye, JoAnn Hale, Aye, Colton Moorman, Aye  
Meeting adjourned at 8:45 pm

**Next Meeting:** Next meeting is scheduled for October 14, 2025

  
\_\_\_\_\_  
Carl Long, Mayor

The Town of  
**Coyle**

116 West Main Street

P.O. Box 248


Coyle, OK 73027

P (405) 466-3741

F (405) 466-2644

[townofcoyle.myruralwater.com](http://townofcoyle.myruralwater.com)

---



Linde Vogan, Town Clerk

