The Town of Coyle

116 West Main Street P.O. Box 248 Coyle, OK 73027 P (405) 466-3741 F (405) 466-2644

townofcoyle.myruralwater.com

COYLE EDUCATIONAL FACILITIES TRUST BOARD OF TRUSTEES MEETING

Regular Session 116 West Main St Coyle, OK 73027 Tuesday, September 13, 2022

Notice for the regular meeting for the Town of Coyle, Oklahoma was posted on Monday, September 12, 2022, before 7:00 pm and held on Tuesday, September 13, 2022, in Town Hall located at 116 W Main St, Coyle, OK 73027.

Meeting was called to order at 10:18 pm by Carl Long.

Members Present: Mayor – Carl Long

Trustee – JoAnn Hale Trustee – Dustyn King

Staff: Linde Vogan – Town Clerk

Charles Downey – Fire Chief

Guests Present:

Holding Regular Meetings:

In order to hold meetings, it is important to know and understand what the responsibilities of the Trustees of this Trust are. JoAnn has provided to the Board information to review describing these responsibilities. The school has no oversight by the Authority per this documentation. There has to be an audit of the authority. The authority has the right to ask the school to pay for audit of the authority. Carl offered to go to the school and discuss this with the Superintendent. The Trustees have never had any oversight of the school on this issue. We have got to understand what is required. JoAnn stated that she believes the school should take the lead on this and see what they want to do. We can't take the Town money and do these audits for the Authority, only the money paid to the Town for this Educational Trust Authority.

New Business: No new business

Adjourned: Motion made by JoAnn to adjourn meeting

Seconded – Dusty King

Motion passed – Carl Long, Aye, JoAnn Hale, Dusty King, Aye

The Town of Coyle

116 West Main Street P.O. Box 248 Coyle, OK 73027 P (405) 466-3741 F (405) 466-2644

town of coyle. myrural water. com

Meeting adjourned at 10:32 pm.

Next Meeting: Next meeting is scheduled for October 11, 2022

Carl Long
Carl Long, Mayor

<u>Linds Vogan</u> Linde Vogan, Town Clerk